



## NTN BEARING INDONESIA



5209CZZC3 Bearing 2D drawings and 3D CAD models

1.772 Inch | 45 Millimeter x 3.346 Inch | 85  
Millimeter x 1.189 Inch | 30.2 Millimeter 1.772  
Inch | 45 Millimeter x 3.346 Inch | 85 Millimeter x  
1.189 Inch | 30.2 Millimeter NTN 5209CZZC3  
Angular Contact Ball Bearings

Bearing No. 5209CZZC3

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.66
Product Group	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	25 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	45MM Bore; 85MM Outside Diameter; 30.2MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC



## NTN BEARING INDONESIA

	1   ISO P0; No Filling Slot; No Snap Ring; C3-Loose; Steel Cage; 25 Degree; 1
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
d	1.772 Inch   45 Millimeter
B	1.189 Inch   30.2 Millimeter
D	3.346 Inch   85 Millimeter
bore diameter:	45 mm
radial dynamic load capacity:	41500 N
outside diameter:	85 mm
radial static load capacity:	33500 N
overall width:	1.1875 in
operating temperature range:	-40 to 120 ° C
contact angle:	25 °
cage material:	Steel
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	Class 0
closure type:	Double Shield
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring
weight:	0.660 kg
bearing material:	High Carbon Chrome Steel
manufacturer product page:	<a href="#">Click here</a>



# NTN BEARING INDONESIA